

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



7P  
epl.

# THE PLANT DISEASE REPORTER

Issued By

PLANT DISEASE EPIDEMICS  
and  
IDENTIFICATION SECTION


AGRICULTURAL RESEARCH SERVICE  
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 230

INDEX TO SUPPLEMENTS 224-229, 1954

Supplement 230

Issued June 15, 1955



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Plant Disease Epidemics and Identification Section serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

# SUBJECT INDEX

- Acer platanoides*: copper spray injury, 143  
 --- *saccharum*: *Valsa leucostomoides*, 144  
 Africa, 112  
*Agrobacterium tumefaciens*, 140, 141, 142  
 Alabama, 77, 90, 94, 149  
 Alfalfa: diseases in Wis. 137; downy mildew, 137; leaf spot, 137; root rot (*Phytophthora* sp.) 1st rept. on this host (Calif.), 128; wilt-producing *Fusaria* from cotton and *Cassia* infect alfalfa, 137; witches' broom virus, 138  
 Almond: crown gall, 140  
*Alternaria* sp(p)., on chile in N. Mex., 150; fungicides, 54  
 --- blight, of carrot, 151  
 --- brassicae, 58  
 --- brassicicola, 58  
 --- cucumerina, 58  
 --- dauci, 58, 151  
 --- dianthi, 58  
 --- panax, 58  
 --- porri, 58  
 --- solani, 58  
 --- tenuis, 58  
*Ambrosia artemisiifolia*: nematodes assoc., 105  
*Andropogon virginicus*: nematodes assoc., 105  
*Anguina tritici*, 78; viability over a period of 14 yrs. dormancy, 135  
 Anthracnose, of blueberry, 141; cucumber, 151; *Lotus uliginosus*, 137; *Rosa* spp., 143; *Viburnum opulus* var. *roseum*, 143; watermelon, 151; wild blackberry, 141  
 --- spot, of *Cornus florida*, 144  
*Aphelenchoides fragariae*, 139, 142  
*Aphelenchus avenae*, 140, assoc. with citrus roots in U.S., 1st rept., 138  
*Aplopappus divaricatus*: nematodes assoc., 105  
 Apple: bitter rot, 139; black pox, 111, 1st rept. from Ga., 126; blotch, 139; cedar rust, 139; fire blight, 139; fly speck, 139, 140; leaf spot, 139; powdery mildew, 139; scab, 139; scald, role of cutin and effect of mineral oil on in storage, 140; sooty blotch, 139  
 Apricot: brown rot, in Calif., 138  
*Arachis hypogaea*: *Belonolaimus*, 102; fungi assoc. with diseases of, 146; ring nematode (*Criconeimoides*), 80; rust, 146  
*Arecastrum romanzoffianum*: butt rot, 144  
*Aristida*: nematodes assoc., 105  
 Arizona, 80, 127, 132, 147, 149, 152  
*Arrhenatherum elatius*: eyespot, 1st rept. from Wash., 126  
*Articularia quercina*, on pecan, 127  
*Ascochyta gossypii*, 147  
*Aster ericoides*: nematodes assoc., 105  
 Bacterial blight, of *Chrysanthemum morifolium*, 130; cotton, 147; raspberry, 141  
 --- leaf spot, of pepper, 150; of *Ricinus communis* 129, 149; of squash, 151;  
 --- parasite, on *Tamarix pentandra*, 132  
 --- scab, of *Gladiolus* spp., 142  
 --- spot, of peach, 140; pepper, 152; tomato, 152  
 --- stem rot, of *Pelargonium hortorum*, 141  
 --- wilt, of corn, 136  
 --- wilt, of tobacco, 148  
*Bacterium stewartii*, 136  
 Barley: powdery mildew, reaction of vars. and selections to physiological races of, 134; seed-borne virus, 134  
 Bean: alfalfa mosaic virus, 153; blight, 153; halo blight, streptomycin sulphate sprays for control, 153; rust, 153; tobacco mosaic virus, 153; *Tylenchorynchus dubius*, 80; white mold in Idaho, 153  
 ---, lima: fungicide-insecticide seed treatments, 153  
*Belonolaimus*, 90, 102; on peanut in Va., 102  
 --- *gracilis*, 77, 83; on cowpea, 137; on soybean, 137  
 Bentonite dust, 141  
*Beta vulgaris*: curly top virus, 146  
*Betula lutea*: canker and decay, 144  
 Bitter rot, of apple, 139  
 Blackberry, wild: anthracnose, 141  
 Black crust, of Hevea, 40  
 --- mold, of *Rosa* spp., 143  
 --- patch, of *Lotus uliginosus*, 137  
 --- pox, of apple, 111, 126  
 --- root rot, of cotton 147; of tobacco, 148  
 --- shank, of tobacco, 77, 148  
 --- spot, of *Rosa* spp., 143  
 --- stripe, of *Hevea brasiliensis*, 37  
 Blast, of grasses (new hosts), 128  
 Blight, of bean, 153; cotton, 147; *Liquidambar styraciflua*, 144; oats, 134  
 ---, summer, of *Lotus uliginosus*, 137  
 Blotch, of apple, 139  
 Blueberry: anthracnose, 141; ring spot (virus), 141; stem canker, 141  
 Blue mold, of tobacco, 148  
*Botrytis cinerea*, 3, 139  
 --- f. *convallariae*, 6  
 --- convoluta, 6  
 --- croci, 6  
 --- diseases of *gladiolus*, Suppl. 224, pp. 1-33  
 --- elliptica, 4

# PLANT DISEASE REPORTER SUPPLEMENT

Issued by

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION

## INDEX TO PLANT DISEASE REPORTER SUPPLEMENTS 224-229, 1954

Compiled by Nellie W. Nance

Horticultural Crops Research Branch  
Supplement 230

Plant Industry Station, Beltsville, Maryland  
Index to Supplements, 1954

### LIST OF SUPPLEMENTS

Supplement 224. Botrytis diseases of Gladiolus. pp. 1-33. May 15, 1954.  
By Charles J. Gould.

Supplement 225. Hevea diseases of the Western Hemisphere. pp. 36-52. May 15, 1954.  
Articles by various authors; see its table of contents and author index below.

Supplement 226. The efficacy of fungicides in the control of certain genera of plant-pathogenic fungi: literature review. pp. 54-71. July 15, 1954. By P. M. Miller and M. B. Linn.

Supplement 227. New developments and new problems concerning nematodes in the South: a symposium. pp. 74-107. October 15, 1954. Papers presented at the Dallas meeting, Southern Division, American Phytopathological Society, Dallas, Texas, February 1-3, 1954. See its table of contents and author index below.

Supplement 228. Helminthosporium problems: a symposium. pp. 110-119. October 15, 1954. Papers presented at the Dallas meeting, Southern Division, American Phytopathological Society, Dallas, Texas, February 1-3, 1954. See its table of contents and author index below.

Supplement 229. Some new and important plant disease occurrences and developments in the United States in 1953. pp. 122-154. December 15, 1954. Compiled by Nellie W. Nance.

Supplement 230. Index to Supplements 224-229. pp. (156-167). Issued June 15, 1955). By Nellie W. Nance.

### AUTHOR INDEX

Cairns, Eldon J., 75  
Carpenter, J. B., (37)  
Cordner, H. B., 92

Dieter, C. E., 98

Gorenz, A. M., (37)  
Gould, Charles J., 3  
Graham, T. W., 80, 89

Holdeman, Q. L., 77, 81

Imle, E. P., (37)  
Ivanoff, S. S., 84

Langford, M. H., 37, 42  
Linn, M. B., (54)  
Luttrell, E. S., 111

Machmer, John H., 102  
Manis, W. E., (37), 49  
Martin, W. J., 86  
McBeth, C. W., 95  
Miller, P. M., 54  
Morrison, Lou, (92)

Nance, Nellie W., 122

Rosen, H. R., 114

Smith, Albert L., 90, 94  
Struble, F. Ben, (92)

Townsend, C. H. T., Jr., (42)

Ullstrup, Arnold J., 116, 118

- (*Botrytis*) *galanthina*, 6  
 --- *gladioli*, 4  
 --- *gladiolorum*, 3  
 --- *hyacinthi*, 6  
 --- *narcissicola*, 6  
 --- *polyblastis*, 6, 142  
 --- *tulipae*, 6  
 --- *yuae*, 132  
*Brachysporium*, 111  
 Brazil, 42, 49, 50, 54  
*Brevipalpus*, 138  
 British Columbia, 3, 54  
 Broccoli: *Pseudomonas maculicola*, 150  
*Bromus marginatus*: head smut, 136  
 Brown leaf spot, of pecan, 141  
 --- rot, of apricot, 138; of *Citrus* spp., 138;  
     of peach, 140; of stone fruits, 138  
 Buckeye rot, of *Lilium regale*, 130  
 Bunt, of wheat, 135  
 ---, dwarf, of grasses (new hosts), 128;  
     of wheat, 135  
 Burma, 49  
 Butt rot, of *Arecastrum romanzoffianum*, 144  
  
 Cabbage: autogenous necrosis, 1st rept. on  
     this plant (Wis.), 132; downy mildew,  
     150  
 Calcium cyanamide, for tobacco bed weed  
     control, 149  
 --- sulfamate, 135  
 California, 3, 127 ff., 137 ff., 143 ff., 150 ff.  
 Camellia: dieback and canker, 142; leaf and  
     flower variegation, transmission by  
     grafting, 142  
 Canada, 3  
 Canker, of camellia, 142; peach, 140; and  
     decay, of *Betula lutea*, 144  
 Cantaloupe: *Meloidogyne incognita*, 151  
*Capitophorus fragaefolii*, 139  
 Captan, 139, 144  
*Carneiocephala flaviceps*, 141  
 Carrot: *Alternaria* blight, 151  
 Castorbean, see *Ricinus*  
*Catacauma huberi*, 40  
 Cauliflower: club root, 150  
 Cedar rust, of apple, 139  
 Celery: diseases, 150  
*Celosia argentea* var. *cristata*: damping-  
     off, 1st rept. on this host (Tenn.), 130  
 Central America, 37, 49, 140  
 Central Rocky Mountain States, 131  
*Cephalothecium roseum*, 141  
*Ceratostomella fimbriata*, 39  
*Ceratostomella ulmi*, 146  
*Cercospora* spp.: fungicidal efficacy, 54  
 --- *apii*, 58  
 --- *aurantia*, 68  
 --- *beticola*, 58  
 --- *capsici*, 68  
 --- *carotae*, 58  
 --- *circumscissa*, 68  
 --- *citrullina*, 68  
 --- *cruciferarum*, 68  
 --- *cruenta*, 68  
 --- *fici*, 68  
 --- *fusca*, 141  
 --- *mali*, 68  
 --- *obscura*, 68  
 --- *purpurea*, 68  
 --- *rubi*, 68  
 --- *unamunoi*, 132  
 --- *viticola*, 68  
 Cereal smuts, fungicides for control of, 134  
 Cereals and grasses: abnormalities caused  
     by nematodes, 84  
 Ceresan M, 136  
 Ceylon, 49  
*Chalaropsis thielavioides*, 143  
 Charcoal rot, of corn, 136  
*Chenopodium album*: potato calico (virus),  
     1st rept. on this host (Maine), 130  
 Cherry: "Eckelrader" disease, importa-  
     tions from Europe, 140  
 Chlorobromopropene, 152  
 Chlorosis and decline, of peach, 78  
*Chrysanthemum* spp.: Noordam's B virus  
     in the U. S., 142  
 --- *morifolium*: bacterial blight, hitherto  
     unreported disease of greenhouse chrys-  
     anthemums (Mass., Fla., N. C., Conn.,  
     Pa.), 130  
*Cinnamomum zeylanicum*: *Phytophthora cin-*  
     namomi, 143  
 Circular spot, of sweetpotato, 151  
*Circulifer tenellus*, 146  
*Citrus* spp.: brown rot, 138; crinkle scurf,  
     138; exocortis (virus), 126; new virus  
     disease (Calif.), 128; scaly bark, 138;  
     spreading decline, 140, in Fla., 138;  
     stem pitting, 138; Winter Haven decline  
     in Texas, 139  
*Cladosporium carpophilum*, 140  
 --- *cucumerinum*, 151  
 --- *effusum*, 141  
*Clitocybe* root rot, of peach, 140  
 --- *tabescens*, 140  
 Club root, of cauliflower, 150  
*Cochliobolus heterostrophus*, 118  
 Colchicum: *Botrytis* spp., 6  
 Colombia, 42, 48  
 Colorado, 129, 134, 142, 150  
*Colletotrichum* spp.: fungicidal efficacy, 54  
 --- *antirrhini*, 58  
 --- *gloeosporioides*, 40, 68  
 --- *gossypii*, 68  
 --- *hibisci*, 147  
 --- *higginsianum*, 58  
 --- *lagenarium*, 58, 151  
 --- *lindemuthianum*, 58  
 --- *phomoides*, 58, 152  
 --- *truncatum*, 58, 137  
 Connecticut, 130, 139, 148, 151, 152, 154



- Control, of *Aphelenchoides fragariae* on *Lilium* spp., in Oregon, 142; of celery seedbed diseases with methyl bromide, 150; of covered-kernel smut of sorghum, in Colo., 134; of diseases of potato by disease resistance, 154; of *Fabraea maculata* on English hawthorn, seven fungicides tested, 144; of gray mold of strawberry with captan, 139; of head smut of brome grass with Ceresan M and Panogen, 136; of leaf blight (South American) of *Hevea* rubber trees, 42; of nematode-*Fusarium* wilt complex of cotton, with soil fumigant, 98; of panel decay of *Hevea brasiliensis*, 38; of *Phytophthora* root rot of avocado, 140; of rose diseases, 143
- Convallaria: *Botrytis* spp., 6
- Copper dust, 141
- Copper-Hydro, 150
- Copper 8-quinolinate (Bioquin 1), for control of apple diseases, 139
- Copper spray injury, to *Acer platanoides*, 143
- Copper sulfate, 140
- Corm rot, of *gladiolus*, 3
- Corn: bacterial wilt, 136; charcoal rot, 136; crazy top (cause unknown), 1st rept. from N. Y., 126; ear rot, 136; *Helminthosporium* diseases, 118; leaf blight, 135; northern leaf blight, 136; *Pratylenchus leioccephalus*, 136; rust, 136; smut, 136
- Cornus florida*: spot anthracnose, 144
- Corticium galactinum*, on *Pinus strobus*, 144
- salmonicolor, 40
- Corynebacterium tritici*, 78
- Costa Rica, 42, 54
- Cotton: bacterial blight, 147; black root rot, 147; blight, 147; *Colletotrichum gossypii*, 147; loss estimating, 146; losses 147; mean rating for root galls on 7 vars. with isolates of root knot nematodes, 87; nematode-*Fusarium* wilt complex, 77, 98; nematodes, problems in breeding for resistance to, 90; nematodes assoc. with, in southern Georgia, 104; nub rot, 147; *Pratylenchus pratensis*, 90; pre-harvest weathering effect on fiber properties, 147; *Tylenchorhynchus dubius*, 80, 147; wilt, 77, 98, 147
- Cowpea: *Belonolaimus gracilis*, 137
- Crataegus oxyacantha rosea*: leaf spot 144
- Crazy top, of corn, 126
- Criconemoides*, 102; on peanut, 80; on tobacco, 80
- citri, 140
- Crinkle-scurf, of *Citrus* spp., 138
- Crocus: *Botrytis* spp., 6; *Botrytis gladiolorum*, 5
- Crown canker, of *Rosa* spp., 143
- gall, of almond, 140
- of *Helianthus annuus*, 142; of peach, 140; of pecan, 141; of prune, 140
- rot, of *Trifolium pratense*, 138
- rust, of oats, 134
- Cucumber: anthracnose, 151; downy mildew, 151; scab, 151
- Cucurbits: *Meloidogyne* sp., 84
- Curvularia, 111
- Cylindrocarpon radicicola*, meadow nematode assoc., with plant species, 78
- Cylindrocladium scoparium*, 143
- Cynodon dactylon*, 105
- Cyperaceae: nematodes assoc., 105
- 2, 4-D, 152
- D-D, 95
- D-D and ethylene dibromide, for control of root rot and stem rot of tobacco, 78
- D-D Hi-Sil, 150
- Dactylis glomerata*: nematode (*Anguina*) seed-gall disease, 137
- Damping-off, of *Celosia argentea* var. *crispata*, 130; of nursery ornamentals, 141
- Datura meteloides*: mosaic (virus), 149
- Deficiency diseases, of celery, 150
- Delaware, 148, 151
- Dematophora* root and crown rot, of strawberry, 129
- Diabrotica undecimpunctata*, 151
- Dianthus* spp.: aster yellows (virus), 142
- caryophyllus: greasy blotch, 140; pimple (*Xanthomonas oryzae* new var.), in Colo., 129
- Dieback, of camellia, 142; of *Hevea benthamiana*, 37; of *Hibiscus cannabinus*, 147
- , leader, of *Liquidambar styraciflua*, 144
- Digitaria ischaemum*: rust (*Puccinia oahuensis*), 1st rept. from La., 126
- sanguinalis: *Belonolaimus gracilis*, 137; nematodes assoc., 105; rust (*Puccinia oahuensis*), 1st rept. from La. 126
- Dilophospora alopecuri*, 78
- Diodia teres*: nematodes assoc., 105
- Diplocarpon rosae*, 143
- Diplodia theobromae*, 38
- Diplodina persicae* n. sp., 129
- Diseases of cereal crops, 134; forage and cover crops, 136; fruit crops, 138; nut crops, 141; ornamentals, 141; special crops, 146; vegetable crops, 149
- Dithane, 150
- Dithane Z-78, 38, 44
- Dock, curly: ring spot-like virus, 153
- Dorylaimids*, assoc. with avocado roots, 140
- Dorylaimus*, 84, 103
- Dothidella ulei*, 42
- Dowfume W 40 and DD, 94
- Dowfume W 85, 94
- Downy mildew, of alfalfa, 137; cabbage, 150; cucumber, 151; *Sorghum halepense*, possible relationship with downy mildew of sugarcane, 134; soybean, 137

- Downy spot, of pecan, 141  
*Drosophila melanogaster*, 145  
 Dutch elm disease, of *Ulmus* spp., 146  
 Dwarf, of strawberry, 139
- Ear rots, of corn, 136  
 EDB, 95  
 Efficacy of fungicides: a literature review, Suppl. 226: 54-71  
*Eleusine coracana*; *Helminthosporium nodulosum*, 111  
*Elsinoë ampelina*, 141  
 --- *corni*, 144  
 --- *veneta*, 141  
*Endoconidiophora coerulescens* f. *douglasii* n. form, 131  
 --- *fagacearum*, 132, 144  
*Endria inimica*, 135  
*Erwinia amylovora*, 139, 141  
 --- --- f. *sp. rubi*, 141  
 --- *chrysanthemi*, 129  
*Erysiphe cichoracearum*, 142  
 --- *graminis*, 134, 135  
*Eupatorium tenuifolium*: nematodes assoc., 105  
 Europe, 140  
 Eyespot, of *Arrhenatherum elatius*, 126
- Fabraea maculata*, 139, 144  
 "False broomrape", (undet), of tobacco, 131, 149  
*Ferbam*, 149  
 Fermate, 38  
 Fig: walnut branch wilt, 1st rept. on this host (Calif.), 129  
 Fire blight, of apple, 139; of pear, 141  
 Flax: rust, epidemiology, 134  
 Florida, 3, 77, 126, 130 ff., 135, 136, 138, 140, 141, 147 ff., 151, 154  
 Fly speck, of apple, 139, 140  
*Fomes annosus*, on *Pinus elliotti*, 144  
 --- *lignosus*, 39  
 --- *noxius*, 39  
 Forecasting late blight of potato and tomato, 153  
*Fragaria* spp.: strawberry dwarf, 139  
 --- *chiloensis* var. *ananassa*: buckeye rot, 1st rept. on this host (Tenn.), 129  
*Freesia*: *Botrytis* spp., 6; *Botrytis gladiolorum*, 5  
 Fruit rot, of peach, 129  
 Fruits, stone: brown rot, 138  
 Fumigation for nematodes; theory and practice, 94  
 Fungicides: efficacy in control of 4 genera of plant-pathogenic fungi, 54; for control of cereal smuts, 134  
*Fusarium* sp(p.), 112; on celery, 150; on chile in N. Mex., 150  
 --- *moniliforme*, 136  
 --- *nivale*, 135  
 --- *oxysporum* f. *conglutinans*, 153  
 --- --- f. *gladioli*, 30  
 --- --- f. *lycopersici*, 78, 152  
 --- --- f. *nicotianae*, 78, 148  
 --- --- f. *vasinfectum*, 77, 90, 147  
 --- *solani*, 149  
 --- wilt, of cotton, nematodes assoc., 77; of radish, 153; of *Sesamum* spp., 149; of tobacco, 148; of tomato, 77, 152, root knot nematode assoc., 77  
*Fusicoccum amygdali*, 140
- Ganoderma sulcatum*, 144  
 Georgia, 78, 80, 102, 111, 126, 127, 137, 140 148, 149, 150, 152  
*Gerardia tenuifolia*: nematodes assoc., 105  
 Germany, 54  
*Gladiolus*: bacterial scab, 142; *Botrytis* diseases, 1-33; corm rot, 3; *Fusarium oxysporum* f. *gladioli*, 30; leaf and flower blight, 3; western aster yellows virus, inoculation with produces symptoms of grassy top, 142  
 Glassy-end and jelly-end, of potato, 154  
*Gloeodes pomigena*, 139  
*Glomerella cingulata*, 40, 139, 142  
 --- dieback, of Hevea, 40  
 --- *phomoides* sp. nov., 152  
 Glume blotch, of wheat, 126, 135  
 Grafting failure, of ornamental plants, 142  
 Grape: Pierce's disease (virus), 141  
 Grasses: diseases observed in 1953 on new hosts in Wash., 128; yellow dwarf virus, 137  
 "Gray leaf" or "dirty leaf", of *Peperomia obtusifolia* var. *variegata*, 143  
 Gray mold, of strawberry, 139  
 Greasy blotch, of *Dianthus caryophyllus*, 140  
 Growth-retarding disease, of sugarcane, 149  
 Guatemala, 48  
 Guayule, see *Parthenium*  
*Gymnosporangium juniperi-virginianae*, 139
- Halo blight, of bean, 153  
 Hawaii, 54  
*Hedera helix*: scab, 142  
*Helianthus annuus*: *Erysiphe cichoracearum* cultured on sunflower crown gall tissue, 142  
*Helicobasidium* root disease, of Hevea, 39  
*Helicotylenchus*, 83, 102  
*Helminthosporium*, approaches to classification 111; problems, Suppl. 228, pp. 111-119; variations within species, 116  
 --- *avenae*, 113  
 --- *bromi*, 113  
 --- *carbonum*, 116, 118  
 --- diseases, of corn, 118  
 --- *gramineum*, 112  
 --- *leucostylum*, 112  
 --- *maydis*, 116, 118



(*Helminthosporium*) *nodulosum*, 111

- *oryzae-sacchari*, 112
- *panici*, 111
- *papulosum*, 111, 126
- *rostratum*, 119
- *sacchari*, 112
- *sativum*, 112, 114, 119, 135
- --- var. *victoriae*, 114
- *siccans*, 112
- *sorokinianum*, 112
- *teres*, 113
- *tritici-repentis*, 113
- *tritici-vulgaris*, 135
- *turcicum*, 116, 118, 136
- *velutinum*, 111
- *victoriae*, 112, 114, 134; variation in pathogenicity and evidence for its relationship to *H. sativum*, 114

*Hemicyclophora* sp. 138

*Hendersonula toruloidea*, 129, on *Populus fremontii*, 144

*Heterotheca subaxillaris*: nematodes assoc., 105

*Hevea*: black crust, 40; dieback, 49; *Diplodia theobromae*, 38; diseases in the Western Hemisphere, Suppl. 225, pp. 36-52; *Glomerella* dieback, 40; *Helicobasidium* root disease, 39; leaf blight, 42; leaf blight, South American, 42; moldy rot, 39; *Periconia* blight, 40; *Phytophthora* leaf fall, 49; pink disease, 40; root diseases, 39

--- *benthamiana*: dieback, 37; *Periconia* blight 40;

--- --- clone F 4542: blight resistant breeding clone, 46

--- *brasiliensis*: black stripe, 37; leaf blight, South American 37; leaf fall, 37; panel decay, 37; *Periconia* blight, 40, 41; *Phytophthora palmivora*, 37; *Phytophthora* pod rot, 37; target leaf spot, 38

--- *guianensis*: *Periconia* blight, 40

--- *spruceana*: *Periconia* blight, 40, 41

*Hibiscus cannabinus*: dieback, 147

Holland, 3

*Hoplolaimus coronatus*, 138

*Hormodendrum* sp., on chile in New Mex., 150

Host range of nematodes, value of greenhouse tests in evaluating, 81

Hot-water treatment of virus infected strawberries, 139

*Hyacinthus*: *Botrytis* spp., 6

*Hylemyia rubivora*, 141

*Hylurgopinus rufipes*, 146

*Hypericum gentianoides*: nematodes assoc., 105

Idaho, 153

Illinois, 3, 131, 133, 135 ff., 145, 146

India, 49, 112

Indiana, 134, 135

Internal browning, of tomato, 152

--- mold, of pepper, 150

Iowa, 136, 137, 154

*Iris* sp.: topple disease in N. Y., 142

*Juglans regia*: *Phytophthora cinnamomi*, 144

Kansas, 134, 137

Karathane, 139

Kentucky, 131, 148, 149

Late blight of potato, 153; tomato, 152

Leaf blight of corn, 135; of *Hevea*, 42

--- ---, South American, of *Hevea*, 37, 42

--- blotch, peach, of pecan, 141

--- disease, of pepper, 132

--- fall, of *Hevea brasiliensis*, 37

--- and flower blight of *gladiolus*, 3

--- rust of grasses (new hosts) 128; *Poa* spp. 137; rye 134; wheat 135

--- scorch, of pecan, 141

--- spot, of alfalfa, 137; of apple, 139; of *Crataegus oxyacantha rosea*, 144; of lettuce, 132; of peach, 140; of wheat, 135;

--- streak, of grasses (new hosts), 128

*Leptothyrium pomi*, 139

*Lespedeza sericea*: *Meloidogyne incognita* var. *acrita*, 81

Lettuce: big vein (virus), 152;

injury from 2, 4-D in Calif., 152; leaf spot (*Stemphylium botryosum* f. *lactucum forma nova*) (Calif.), 132; mosaic (virus), 152; tobacco-ringspot virus, strain of, (Calif.) 1st rept. on this host, 132

*Ligustrum obtusifolium* var. *regelianum*: witches' -broom (virus), 143

--- *ovalifolium*: ringspot (virus), 144

*Lilium* spp.: *Aphelenchoides fragariae*, 142; *Botrytis* spp., 6

--- *regale*: buckeye rot, 1st rept. on this host (Tenn.), 130

Lime-sulfur, 139

*Liquidambar styraciflua*: blight, 144; leader dieback, 144

*Lobularia maritima*: poor germination of seed, 142

Losses: from *Botrytis* and *Curvularia* in United States, 3; from cotton nub rot in Texas, 147; from cotton wilt in Tenn., 147; in cotton, 146, 147; in forage legumes and grasses in N. Y., 136

*Lotus corniculatus*: *Stemphylium loti* n. sp. (N. Y.), 128

--- *uliginosus*: anthracnose, 137; black-patch, 137; southern blight, 1st rept. on this host (Ga.), 128, 137; summer blight, 137

Louisiana, 80, 86, 126, 129, 134, 137, 144, 149, 151

- Lumber staining, of Douglas fir, 141,
- Macrophomina phaseoli*, 136
- Maine, 130, 141, 154
- Malaya, 49
- Manganese ethylene bisdithiocarbamate, 151
- Manzate, 144
- Marmor citrulli* sp. nov., 133
- var. *flavidanum*, var. nov., 133
- Maryland, 3, 129, 141 ff., 148, 149, 151
- Massachusetts, 3, 130, 140
- Melampsora lini*, 134
- Melilotus* spp.: diseases in Wisconsin, 137
- Meliola* spp., 111
- Meloidogyne* sp(p.), 77, 102, on cucurbits, 84
- *arenaria*, 103
- *incognita*, 77, 86, 92, 151, 152
- var. *acrita*, 81, 86
- Mentha* spp.: nematodes assoc. with disease, 148; rust, 148
- Metaldehyde dust, 143
- Mexico, 37, 39, 140
- Michigan, 3
- Microsphaera alni*, 141
- Microstroma juglandis* var. *robustum*, 127
- Microthyriella rubi*, 140
- Minnesota, 137
- Mississippi, 84, 134, 151
- Moldy rot, of Hevea, 39
- Monilinia* spp., on stone fruits, 138
- *fruticola*, 138, 140
- *laxa*, 138
- Mononchus*, 103
- Muscari*: *Botrytis* spp., 6
- Mycosphaerella caryigena*, 141
- *dendroides*, 141
- Myzus persicae*, 152
- Nabam, 151
- Napicladium*, 111
- Narcissus*: *Botrytis* spp., 6; *Botrytis polyblastis* in Oregon, 142,
- Nebraska, 137
- Necrosis, autogenous, of cabbage, 132
- Nematode(s), (see also under genera and hosts), assoc. with 16 common weeds, 105; complex in southern Georgia, 102; control to prolong productive period of white clover in Ga., 106; ectoparasitic, recent developments with, 80; parasitic plant abnormalities caused by, 83; possible members of disease complexes involving other plant pathogens, 77; soil fumigation, practical aspects of, 95
- Nematology, plant: science or service?, 75
- New developments and new problems concerning nematodes in the South, Suppl. 227: 74-107
- New host: southern blight on *Lotus uliginosus* in Ga., 137
- New Jersey, 3, 141, 144, 151, 152
- New Mexico, 127, 130, 132, 135, 142, 147, 150
- New York, 3, 126, 128, 135, 142, 150, 154
- New Zealand, 54
- Nicaragua, 48
- Nicotiana*: relation of host nutrition to multiplication of viruses, 149
- *glauca*: mosaic (virus), 149
- North Carolina, 3, 77, 111, 130, 148, 151
- Northern leaf blight, of corn, 136
- Nub rot, of cotton, 147
- Nursery ornamentals: damping-off fungi, 141
- Oats: blight, inheritance of susceptibility to, 134
- crown rust, 134; *Helminthosporium victoriae*, 114; *Panagrolaimus rigidus*, 84; powdery mildew, 134; soil-borne viruses, 134; "spikelet drop", cause unknown, 134; stem rust, 134
- Oedema, of *Peperomia obtusifolia* var. *variegata*, 143
- Ohio, 130, 139
- Oidium* sp., on tobacco, 148
- Oklahoma, 92, 129, 149
- Onion: purple blotch, limiting factor in Arkansas Valley of Colorado, 150; smut, 150
- Ontario, 3, 54
- Ophiobolus sativus*, 115
- Oregon, 128, 137, 139, 141, 142, 148, 153
- Ornamental plants: curly top (virus), natural infection, 142; grafting failure (*Thielaviopsis basicola*), 1st rept., 142
- Panagrolaimus rigidus*, 84
- Panama, 42
- Panel decay, of *Hevea brasiliensis*, 37
- Panogen, 136, 141, 149
- Paratylenchus*, 83, 102
- Parthenium argentatum*: root rot, 149
- Paspalum* sp.: nematodes assoc., 105
- Parzate, 44
- Pea: virus disease complex, 153
- Peach: bacterial spot, 140; brown rot tests of organic fungicides for control of, 140; canker and leaf spot, 140; *Clitocybe* root rot, 140; crown gall, 140; decline and chlorosis, nematodes assoc; 78; fruit rot (*Diplodina persicae* n. sp.), in La., 129; phony disease (virus), 140; ring spot (virus), not present at Fort Valley, Ga., 140; scab, 140; wart (virus) 1st rept. from N. Mex., 127; western X-disease (virus) 1st rept. from Ariz., 127
- Peanut: See *Arachis*
- Pear: fire blight, 141

- Pecan: *Articularia quercina*, 1st rept. from Okla., 127; brown leaf spot, 141; crown gall, 141; downy spot, 141; leaf scorch (cause unknown), 141; *Microstroma juglandis* var. *robustum*, 1st rept. from Okla., 127; pecan leaf blotch, 141; pink rot, 141; powdery mildew, 141; rosette (zinc deficiency), 141; scab, 141.
- Pegomyia rubivora*, 141
- Pelargonium hortorum*: bacterial stem rot, 141
- Pellicularia filamentosa*, 38, 137
- Penicillium gladioli*, 24
- Pennsylvania, 130, 132, 139, 145, 149, 151
- Peperomia obtusifolia* var. *variegata*: cutting rot, 143; "gray leaf" or "dirty leaf", 143; oedema (?virus), 143; slugs feeding on leaves, 143
- Pepper: bacterial spot, 150, control with Agrimycin, 152; internal mold, 150; leaf disease ("velvet spot"), colonies of *Cercospora unamunoi* parasitized by *Botrytis yuae* sp. nov. (Fla., Tex., Calif.), 132
- , sweet: ring spot (virus), 151
- Periconia blight*, of Hevea, 40
- heveae, 40
- Peronospora manshurica*, 137
- *parasitica*, 150
- *tabacina*, 148
- *trifoliorum*, 137
- Persea americana*: *Phytophthora* root rot, 140; spreading decline, 140
- Peru, 42
- Philippine Islands, 42
- Philodendron cordatum*: *Sclerotium rolfsii*, 1st rept. on this host, (Calif.), 130
- Phoradendron juniperinum*: rust, 1st rept. on this host (N. Mex.), 130
- Phorbia rubivora*, 141
- Phragmidium* spp., on *Rosa* spp., 143
- Phygon XL, 150
- Phyllosticta solitaria*, 139
- Phytophthora* sp., on alfalfa, 128
- *cinnamomi*, 143, 144
- *cinnamomi*, on *Persea americana*, 140
- *cryptogea*, 128
- *fragariae*, 139
- *infestans*, 152, 153
- *palmivora*, 37, 49
- *parasitica*, 129, 130, 131, 138
- --- var. *nicotianae*, 77, 148
- trunk rot, of *Washingtonia filifera*, 131
- Pimple, of *Dianthus caryophyllus*, 129
- Pimples, of watermelon, 151
- Pink disease, of Hevea, 40
- root, of shallot, 150
- rot, of peacn, 141
- Pinus ellioti*: *Fomes annosus*, 144
- *strobis*: *Corticium galactinum*, 144
- Plasmodiophora brassicae*, 150
- Pleospora trichostoma*, 113
- Plum: phony disease (virus), 140
- Poa* spp.: leaf rust, 137; stem rust, 137
- Pod rot, of *Theobroma cacao*, 49
- Podosphaera leucotricha*, 139
- Polysulfide Compound, 139
- Populus* spp.: surface sterilization of poplar cuttings for disease control, 144
- *fremontii*: *Hendersonula toruloidea*, 144
- Potato: calico (virus), spread from alfalfa and Ladino clover fields, 154; curly top virus, 154; glassy-end and jelly-end (non-parasitic), 154; late blight, 153; scab, 154; scurf, 154; wart, 154
- Powdery mildew, of apple, 139; barley, 134; oats, 134; pecan, 141; *Rosa* spp., 143; tobacco, 148; wheat, 135
- Pratylenchus* spp., 83, 102
- *leiocephalus*, on corn, 136
- *penetrans*, 136
- (?) *pratensis*, 77
- *pratensis*, 90, 138, 140
- *vulnus*, 136
- Prune: crown gall, 140
- Prunus avium*: *Verticillium* wilt, 1st rept. from Calif., 127
- Pseudomonas* sp., on blueberry, 141
- *lachrymans*, 151
- *maculicola*, on broccoli, 150
- *marginata*, 142
- *medicaginis* f. *phaseolicola*, 153
- *solanacearum*, 148
- *tabaci*, 148, 149
- Pseudoperonospora cubensis*, 151
- Pseudopityophthorus minutissimus*, 145
- *pruinosis*, 145
- Pseudoplea briosiana*, 137
- Pseudotsuga taxifolia*: lumber staining (*Endoconidiophora coerulescens* f. *douglasii* n. form.), 131
- Puccinia arachidis*, 146
- *coronata*, 115, 134
- *glumarum*, 128
- *graminis*, 134, 137
- --- *tritici*, 135
- *menthae*, 148
- *poae-sudeticae*, 128
- *rubigo-vera*, 137
- --- *secalis*, 134
- --- *tritici*, 135
- *sorghii*, 136
- Purple blotch, of onion, 150
- Pyrenochaeta terrestris*, 150
- Pythium* sp., on celery, 150
- *ultimum*, 139, 141
- Queen palm, see *Arecastrum*
- Quercus* spp.: oak wilt, 144
- *agrifolia*: oak wilt, 1st rept. on this host (Ill.), 131

- chrysolepis: oak wilt, 1st rept. on this host (Ill.), 131
- ilicifolia: oak wilt, first rept. on this host, found infected in nature (Pa.), 132
- stellata: drought and frost injuries, 145
  
- Races (see also strains); of *Stemphylium botryosum*, on alfalfa, 137; of *Ustilago tritici*, 135; parasitic, of *Meloidogyne incognita* and *M. incognita* var. *acrita*, 86;
- Radish: *Fusarium* wilt, 153
- Radopholus similis, 138, 140
- Raspberry: bacterial blight, 141
- , red: technique for indexing for viruses, 141
- Reaction, of wheat vars. to *Septoria nodorum*, 135
- Red stele, of strawberry in Oregon, 139
- Resistance, to red stele root disease in breeding strawberries in Oregon, 139; to rust and to soil-borne mosaic viruses, in oats, 134
- Rhizoctonia aerial blight, of soybean, 137
- solani, 137, 141, 143, 147, 150, 154
- Rhode Island, 140, 143
- Rhubarb: ringspot-like virosis, 153
- Rhynchosporium orthosporum, 128
- secalis, 128
- Richardia scabra: nematodes assoc., 105
- Ricinus communis: bacterial leaf spot, 149, 1st rept. in U. S. (Md., Okla., Tex.), 129
- Root diseases, of Hevea, 39
- rot, of alfalfa, 128; of *Parthenium argentatum*, 149; of wheat, 135
- Rosa spp.: anthracnose, 143; black mold, 143; black spot, 143; *Capitophorus fragaefolii*, 139; crown canker in Del., 1st rept. in field, 143; powdery mildew, 143; rust, 143
- Rosellinia necatrix, 129
- Rosette, of pecan, 141
- Rot, cutting, of *Peperomia obtusifolia* var. *variegata*, 143
- Rotylenchus spp., 102
- Ruga verrucosans, 142, 146
- Rust, of *Arachis hypogaea*, 146; bean, 153; corn, 136; *Digitaria* spp., 126; flax, 134; *Mentha* spp., 148; *Phoradendron juniperinum*, 130; *Rosa* spp., 143
- Rutabaga: *Botrytis* spp., 5
- Rye: leaf rust, 134
  
- Scab, of apple, 139; cucumber, 151; *Hedera helix*, 142; peach, 140; pecan, 141; potato, 154
- Scald, of apple, role of cutin in and effect of mineral oil on storage, 140; of grasses (new hosts), 128
- Scaly bark, of *Citrus* spp., 138
  
- Scilla: *Botrytis* spp., 6
- Sclerospora macrospora, on *Sorghum halepense*, 126
- Sclerotinia draytoni, 4
- minor, 155
- sclerotiorum, 152, 153
- trifoliorum, 138, 152
- Sclerotium rolfsii, 78, 128, 130, 137, 151 152; on *Philodendron cordatum*, 130
- Scolecotrichum graminis, 128
- Scolytus multistriatus, 146
- Scurf, of potato, 154
- Selenophoma donacis var. *stomaticola*, 126
- Septoria spp.: fungicidal efficacy, 54
- apii, 58
- apii-graveolentis, 58
- chrysanthemi, 58
- leucanthemi, 58
- lycopersici, 58
- nodorum, 126, 135
- petroselini, 68
- rubi, 68
- Sesamum spp.: *Fusarium* wilt, 149
- Shallot: pink root, 150
- Slugs, on *Peperomia obtusifolia* var. *variegata*, 143
- Small grain diseases, in Texas, 134
- Smut, of corn, 136; onion, 150
- , covered-kernel, of *Sorghum* spp., 134
- , head, of *Bromus marginatus*, 136
- , loose, of wheat, 135
- Snowmold, of wheat, 135
- Soil fumigation for nematodes, factors affecting results with, 98; practical aspects of, 95
- Soil rot, of sweetpotato, 151
- Some new and important plant disease occurrences and developments in the U. S. in 1953, Suppl. 229, pp. 122-154
- Sooty blotch, of apple, 139
- Sorghum* spp.: smut infested seed, 17 fungicides tested, 134
- halepense: downy mildew, 134; 1st rept. from La., 126
- South America, 37
- South Carolina, 78, 80, 89, 140, 144, 148, 149, 151
- South Dakota, 135
- Southern blight, of *Lotus uliginosus*, 128, 137; of tomato, control by chlorobromopropene, 152
- Soybean: *Belonolaimus gracilis*, 137; diseases in Iowa, 137; downy mildew, 137; iron deficiency, sting nematode assoc., 78; *Rhizoctonia* aerial blight, 137
- Spargon, 38
- Spermospora subulata, 128
- Sphaceloma hederæ, 142
- rosarum, 143
- Sphacelotheca sorghi, 134

- Sphaerotheca* spp., on *Rosa* spp., 143  
 "Spikelet drop", of oats, 134  
 Spreading decline, of avocado, 140;  
     of *Citrus* spp., 138, 140  
 Squash: bacterial leaf spot, 151  
 Stem canker, of blueberry, 141  
 --- pitting, of *Citrus* spp., 138, relation to  
     tristeza in South Africa and Brazil, 138  
 Stem rust of oats, 134; *Poa*, 137; wheat 135  
*Stemphylium botryosum*, 137  
 --- --- *f. lactucum*, 132  
 --- *loti*, n. sp., 128  
 Strains (see also races), of alfalfa mosaic  
     virus causing mottle in beans, 153; of  
     cucumber mosaic virus from pepper and  
     alfalfa causing ring spot of sweet pepper,  
     151; of curly top virus, 146, in potato  
     154; of late blight fungus on tomato not  
     formerly present in Fla., 152; of  
     *Peronospora manshurica* on soybean  
     in N. C., 137; of tobacco ring spot  
     virus assoc. with pimples disease of  
     watermelon in Texas, 151  
 --- A and B, of the strawberry latent virus,  
     139  
 ---, new, of bean rust, 153  
 Strawberry (see also *Fragaria*) *Dematophora*  
     root and crown rot, 1st rept. on this  
     host (Calif.), 129; dwarf, 139; gray mold,  
     139; red stele, in Oregon, 139; Straw-  
     berry dwarf, of *Fragaria* spp., 139  
*Streptomyces ipomoea*, 151  
 --- scabies, 154  
*Streptomycin*, 139, 141  
 Stripe rust, of grasses (new hosts), 128  
 Sugar beet, see Beta  
 Sugarcane: growth-retarding disease, 149  
 Sulphur, 143  
 Sulphur lead arsenate, 143  
 Sumatra, 143  
 Susceptibility, of bean leaves to tobacco  
     mosaic virus, 153; of *Gladiolus* vars. to  
     *Botrytis* leaf blight, 13  
 Sweetpotato: breeding for resistance to root-  
     knot nematode, 92; circular spot, 151;  
     internal cork (virus), 151; mosaic (virus),  
     152; soil fumigation for control of nema-  
     todes, black rot and wireworms, 78; soil  
     rot, 151  
 Switzerland, 54  
*Synchytrium endobioticum*, 154  
*Syringa japonica*: witches'-broom (virus), 143  
 --- vulgaris: witches'-broom (virus), 143  
*Systox*, 142  
  
*Tamarix pentandra*: bacterial parasite, 1st  
     rept. on tamarisks (Ariz., N. Mex.,  
     Tex), 132  
 Target leaf spot, of *Hevea brasiliensis*, 38  
 Tennessee, 129, 130, 147, 148  
*Terramycin*, 139, 140  
 Texas, 78, 129, 132, 134, 136, 144, 147,  
     149, 152, 153  
*Theobroma cacao*: pod rot, 49  
*Thielaviopsis basicola*, 142, 147, 148  
*Tilletia* spp., 134  
 --- *brevifaciens*, 135  
 --- *caries*, 128, 135  
 Tobacco (see also *Nicotiana*): bacterial  
     wilt, 148; black root rot, 148; black  
     shank, 148, *Meloidogyne* sp. assoc.,  
     77; blue mold, 148; false broomrape,  
     149, 1st rept. (Ky., Fla.), 131;  
     *Fusarium* wilt, 148; leaf curl (virus),  
     131; mosaic virus, new serological  
     test, 149; nematodes, problems in  
     breeding for resistance to, 89; pow-  
     dery mildew, 148; ring nematode, 80;  
     *Tylenchorhynchus claytoni*, 80, 83,  
     149; wildfire, 148, 149  
 Tomato: bacterial spot, control with Agri-  
     mycin, 152; *Fusarium* wilt, 152, root  
     knot nematode assoc., 78; *Glomerella*  
     *phomoides* sp. nov., 152; internal  
     browning, 152; late blight, 152;  
     *Meloidogyne incognita*, 152; new virus  
     disease (Ill.), 133; potato virus Y, 152;  
     sandstorm damage, 153; southern blight,  
     152  
 Topple disease, of *Iris* sp., 142  
*Trichodorus*, 83, 90, 102, 138, assoc. with  
     avocado roots, 140  
*Trifolium pratense*: crown rot, 138; dis-  
     eases, prevalence and severity of, in  
     Wis., 137  
 --- *repens*: *Heterodera schachtii* var. *tri-*  
     *folii*, 138  
 --- --- var. *Ladino*: diseases, prevalence  
     and severity of, in Wis., 137; mosaic  
     virus disease complex, 138  
*Triton B-1956*, 139  
*Tritonia*: *Botrytis gladiolorum*, 5  
*Tulipa*: *Botrytis* spp., 6  
 Turnip: *Botrytis* spp., 5  
*Tylenchorhynchus claytoni*, 80, 83, 149  
 --- *dubius*, 80, 147  
*Typhula* spp., on wheat, 135  
  
*Ulmus* spp.: phloem necrosis virus, 146;  
     Dutch elm disease, 146  
*Uredo phoradendri*, 130  
*Urocystis cepulae*, 150  
*Uromyces phaseoli* var. *typica*, 153  
*Ustilago avenae*, 134  
 --- *bullata*, 136  
 --- *kolleri*, 134  
 --- *maydis*, 136  
 --- *tritici*, 135  
 Utah, 154  
  
*Valsa leucostomoides*, on *Acer saccharum*,  
     144



- Variegation, leaf and flower, of camellia,  
     transmission by grafting, 142  
 Vegetable seed treatment tests for improved  
     emergence, 149  
*Venturia inaequalis*, 139  
 Vermont, 144  
*Verticillium albo-atrum*, 127, 147  
 --- wilt, of *Prunus avium*, 127  
*Viburnum opulus* var. *roseum*: anthracnose,  
     143  
 Virginia, 135, 140, 148  
 Virus diseases: alfalfa mosaic on bean,  
     153  
 --- ---: aster yellows of *Dianthus* spp.,  
     142  
 --- ---: big vein of lettuce, 152  
 --- ---: calico of potato, 154  
 --- ---: cereal yellow dwarf of Gramineae,  
     137  
 --- ---: curly top of *Beta vulgaris*, 146;  
     of potato, 154  
 --- ---: exocortis of *Citrus* spp., 126  
 --- ---: internal cork of sweetpotato, 151  
 --- ---: latent virus of strawberry, 139  
 --- ---: leaf curl of tobacco, (Ky.), 131  
 --- ---: mosaic, of *Datura meteloides*,  
     149; lettuce, 152; *Nicotiana glauca*,  
     149; sweetpotato, 152; watermelon,  
     133  
 --- ---: mosaic disease complex of *Tri-  
 folium repens* var. *Ladino*, 138  
 --- ---: new virus disease of citrus, 128;  
     tomato, 133  
 --- ---: Noordam's B virus in the U. S.,  
     on chrysanthemum, 142  
 --- ---: phloem necrosis of elm, 146  
 --- ---: phony disease of peach and plum,  
     140  
 --- ---: Pierces's disease of grape, 141  
 --- ---: potato calico in *Chenopodium*  
     album, 130  
 --- ---: potato virus Y in tomato, 152  
 --- ---: of red raspberry, technique for  
     indexing for, 141  
 --- ---: ring spot, of blueberry, 141;  
     *Ligustrum ovalifolium*, 144; peach, 140;  
     sweet pepper, 151; ring spot-like virus  
     of curly dock, 153, of rhubarb, 153  
 --- ---: seed-borne virus in barley, 134  
 --- ---: soil-borne, of oats 134; of wheat  
     135;  
 --- ---: striate mosaic on wheat, 136  
 --- ---: tobacco mosaic virus of bean, 153  
 --- ---: tobacco-ringspot virus, strain of,  
     on lettuce in Calif., 132  
 --- ---: virus disease complex of pea, 153  
 --- ---: wart of peach, 127  
 --- ---: western aster yellows of *Gladiolus*  
     spp., 142  
 --- ---: western X-disease of peach, 127  
 --- ---: witches' broom of alfalfa, 138; of  
     *Ligustrum obtusifolium* var. *regelianum*,  
     143; *Syringa* spp., 143  
 --- ---: yellow watermelon mosaic (*Mar-  
 mor citrulli flavidanum*), 133  
 Walnut: see *Juglans*  
 Walnut branch wilt, of fig, 129  
 Wart, of potato, 154  
 Washington, 3, 126, 128, 135, 139, 141,  
     142, 150, 154  
*Washingtonia filifera*: *Phytophthora* trunk  
     rot, 1st rept. on this host (Calif.), 131  
 Watermelon: anthracnose, 151; mosaic  
     virus (*Marmor citrulli* sp. nov.),  
     (Fla.), 133; pimples, 151; yellow  
     watermelon mosaic virus (*Marmor*  
     *citrulli flavidanum* var. nov.), (Fla.),  
     133  
 Weather of 1953, general, 122, drought,  
     124, destructive storms, 124, maps,  
     123  
 Weather injuries: drought and frost  
     injuries, 145; sandstorm damage to  
     tomato, 153  
 West Virginia, 145  
 Wheat: bunt, 135; copper carbonate slurry  
     injurious to seed, 135; *Corynebacter-  
 ium tritici*, *Anguina tritici* assoc., 78;  
     *Dilophospora alopecuri*, *Anguina*  
     *tritici* assoc., 78; dwarf bunt, 135;  
     *Fusarium nivale*, fungicide tests for  
     control of, 135; glume blotch, 135, 1st  
     rept. from Fla., 126; leaf rust, 135;  
     leaf spot, 135; loose smut, 135; pow-  
     dery mildew, 135; root rot, 135; snow-  
     mold, 135; soilborne mosaic virus,  
     135; stem rust, sulfa drugs for con-  
     trol of, 135; striate mosaic in S. Dak.,  
     similar to cereal virus diseases in  
     U.S.S.R., 136; *Typhula* spp., con-  
     trol, 135  
 White mold, of bean, 153  
 Wildfire, of tobacco, 148, 149  
 Wilt, of cotton, 147  
 ---, oak, of *Quercus* spp., 144; of *Quercus*  
     *agrifolia*, *Q. chrysolepis*, 131, *Q. ili-  
 cifolia*, 132  
 Wisconsin, 132, 150, 153  
*Xanthomonas hortorum*, 142  
 --- *malvacearum*, 147  
 --- *oryzae* new var., 129  
 --- *phaseoli*, 153  
 --- *pruni*, 140  
 --- *ricinicola*, 129, 149  
 --- *vesicatoria*, 150, 152  
*Xiphinema*, 102  
 --- *americanum*, 138  
 Zerlate, 150  
 Zinc sulfate, 151  
 Zineb, 144, 149, 151  
*Zygomphala jamaicensis*, 140

## ERRATA

On page 78, line 14, read Fusarium oxysporum, instead of Fusarium oxysporium

On page 114, 1st line of title read VARIATION IN PATHOGENICITY instead of VARIATION IN PATHOGENCITY.

On page 131, under Fan Palm read (Washingtonia filifera) instead of (Washington filifera)

On page 148, 3rd paragraph, line 8, read Pseudomonas solanacearum instead of Pseudomonas solancearum.

